



Providing electrical services since 1989

[cnetelectric.com](http://cnetelectric.com)


For info call: 1-800-857-2083

A wide-angle photograph of a large-scale solar farm. The foreground and middle ground are filled with rows of blue photovoltaic solar panels stretching towards the horizon. The background shows a landscape with green fields, a line of trees, and a clear sky under bright, natural light.

# Commercial Solar Systems

GLOBAL DISTRIBUTION SERVICES AVAILABLE





For info call : 1-800-857-2083

The Polycrystalline solar panels provide reliable and efficient solar energy. Backed by a 30 year warranty. The tempered glass covered PV Cells protects the panel from hazardous weather. The panel comes with a pre-drilled aluminum outer frame suitable for mounting in various ways. This panel is perfect for home installations, vehicle and RV installations as well as industrial applications. It can be used in parallel and series to suit your voltage needs. Buy multiple panels to power your whole house or reduce your power bill for off-grid or on-grid living.

This new model is more compact, more efficient and lighter weight than the previous model, giving you valuable space savings on the roof or whatever your mounting options are. These Solar Panels are tough and have a 12 year guarantee at 90% efficiency and a 30 year guarantee at 80% efficiency.

They are CEC, UL, and ETL certified and the panels have passed the most strenuous tests and are approved for use in any application. Mount them on your truck, boat, home, RV or more to get a cost reducing power solution wherever you need it.

The more you buy the more you save! The 265 Watt panels are made in the USA. 12% savings when you purchase multi packs. See product details

## 275 WATT SOLAR PANEL 6 PACK



## SOLAR RACK GROUND MOUNT FOR 250-330 WATT SOLAR PANELS

### Specifications: SOLAR RACK GROUND MOUNT

- Holds up to 6 solar panels
- Rugged aluminum design – 6005T5 and stainless steel SUS304
- Solid mounting feet
- Ground mount
- Rack Dimensions L x W x H: 71 X 126 X 69 inches
- Weight: 152 lbs
- Includes HD Rail, End clamps, mid clamps, HD rail clamp, pre-assembled leg
- 25 year warranty
- Max pitch: 20 degrees
- Meets all industry standards



## Specifications

- Continuous output power: 400 Watts
- Surge power capability (peak power): 800 Watts
- dc input / operating voltage: 20 to 30 Volts
- Output voltage: 220/230 Volts AC - European/African
- Output wave form: modified sine wave
- Output frequency: 50 Hz
- Battery low voltage alarm: 20 +/- 0.5 Volts
- Battery low voltage shutdown: 20 +/- 0.5 Volts
- No load current @ 12V: 1 amp
- Full load efficiency: 90%
- 1/3 load efficiency: 95%
- Operating temperature: -10 to 40 C
- AC Output Socket Type: UK Plug type G 3 prong
- High input voltage protection: 30 +/- 0.5
- Low input voltage shutdown: 20 V +/- 0.3
- Product size (L x W x H): 7.0"X 5.0"X 2.13"
- Unit Weight: 2 lb Boxed Weight: 3 lb





Providing electrical services since 1989

[cnetelectric.com](http://cnetelectric.com)

For info call: 1-800-857-2083

A large-scale photograph of a solar farm. The foreground and middle ground are filled with rows of blue solar panels stretching towards the horizon. In the background, there are green fields and a line of trees under a clear sky.

# Commercial Solar Systems

Contact:

Errol Bailey

[errolb@cnet-intl.com](mailto:errolb@cnet-intl.com)

Nicole Murray

[nicolem@cnet-intl.com](mailto:nicolem@cnet-intl.com)

GLOBAL DISTRIBUTION SERVICES AVAILABLE